Technical Data Sheet Revision Date: 01182024




# **G200 EP-2 Series High Pressure Grease**

Part Number (s): 41-1-156400

#### **Available Sizes:**

400LB Drum

400g Lube-Shuttle® Cartridge



## **Product Description:**

The G200EP series of greases are built on a virgin base mineral oil and thickened with a high-performance calcium sulfonate complex thickener. The G200EP family utilizes optimized pressure and anti-wear additive systems in combination with an anti-corrosion/oxidation additive package. This synergistic combination gives the G200EP series maximum protection in the highest shock loaded applications.

#### **Specific Applications:**

Heavily loaded roller bearings and plain bearings in rotating, oscillating, and sliding contact points on excavators, shovels, loaders, dozers, and large haul trucks.

Heavy industrial applications subject to high heat, loads, shear, and water conditions. Also ideal for bushings, gibbs, and ways where there are heavy loads and severe sliding action.

Anywhere a high temperature, high performance grease is required.

### **Properties:**

- Multi-Purpose High-Temperature Grease
- Excellent Water Resistance
- Extremely Shear Stability
- Extreme Pressure/Wear Protection
- Corrosion Protection
- Excellent Shock Load Protection



Technical Data Sheet Revision Date: 01182024

Туре	Value	Unit	Standard
Product Name	G200 EP-2		
NLGI Grade	2		
Thickener	Calcium Sulfonate Complex		
Base Oil	Mineral		
Texture	Smooth		
Color/Appearance	Amber/Tan		
Penetration, Worked	289	0.1 mm	ASTM D 217
Worked Stability	7	% Change	ASTM D 217
10k Dropping Point	535	F	ASTM D 2265
	Pass	Pass/Fail	ASTM D 2203 ASTM D 1743
Rust Test Rating			
Water Washout @100F	0	%	ASTM D 1264
Water Washout	0	%	ASTM D 1264
@175F			
4-Ball Wear	0.49	mm	ASTM D 2266
4-Ball Weld	500	kgf	ASTM D 2596
4-Ball LWI	151	kgf	ASTM D 2596
EMCOR Corrosion	0,0	0-5	ASTM D 6138
(Distilled Water			
Copper Corrosion	1b	Rating	ASTM D 130
USS Mobility	20@23°F	g/min.	USS
Lincoln Ventmeter	202@23°F	PSI	K 95400
Base Oil Characteristics			
Viscosity @ 100°C	19.1	cST	ASTM D 445
Viscosity @ 40°C	220	cST	ASTM D 445
Viscosity Index	97.7		ASTM D 2270
Flash Point	520	°F	ASTM D 92
Pour Point	0	°F	ASTM D 97

The information contained in this brochure is based on the experience and know-how of AET SYSTEMS, INC. in the development and manufacturing of lubricants and represents the current state-of-the-art. The performance of our products can be influenced by a series of factors, especially the specific use, the method of application, the operational environment, component pre-treatment, possible external contamination, etc. For this reason, universally valid statements about the function of our products are not possible. The information given in this Product Information sheet represents general, non-binding guidelines. No warranty expressed or implied is given concerning the properties of the product or its suitability for any given application.

We therefore recommend you consult an AET SYSTEMS, INC. Application Engineer to discuss application conditions and the performance criteria of the products before the product is used. It is the responsibility of the user to test the functional suitability of the product and to use it with the corresponding care.

Our products undergo continuous improvement. We therefore retain the right to change our product program, the products, and their manufacturing processes as well as all details of our Product Information sheets at any time and without warning. With the publication of this Product Information sheet, all previous editions cease to be valid.

ANY FORM OF REPRODUCTIONS REQUIRES EXPRESS PRIOR WRITTEN PERMISSION FROM AET SYSTEMS, INC.